

75UR8STUK

Hisense

75 '' UR8S | RGB MiniLED Smart TV 4K 180 Hz



General information

Model name:	75UR8STUK	Series:	UR8S
Type:	RGB MiniLED TV	Material of frame:	Metal/Plastic
Colour of appliance:	Black/Dark grey	Cabinet material:	Plastic
Stand colour:	Black/Dark Grey	Stand material:	Metal

Panel performance

Panel aspect ratio:	16:9	Screen diagonal size (inch):	75 in
Screen diagonal size (cm):	189 cm	Resolution max.:	4K Ultra HD 3840x2160
Angle of visibility:	178 °	Frequency:	180 Hz
Panel response time:	6,5 ms	Backlight technology:	DLED
3D technology:	No	2D to 3D:	No
HDR technology:	HDR, HDR10, HDR10+, HDR10+ Adaptive, 4K HDR Immersive	HLG technology:	Yes
HDR10+ gaming technology:	Yes	Dolby Vision Gaming:	Yes

Improving engines

Upscaling Ultra HD:	Yes	MEMC technique:	Yes
Input lag in game mode:	≤ 7 ms (4K 120 Hz input)		

Sound

Sound output power:	2x10 W + 20 W + 2x5 W	Sound technology:	Dolby Atmos
User equalizer:	Yes	Dolby Atmos system:	Yes
EzPlay:	Yes	Hi-Concerto:	Yes
TV mode:	Yes		

Convenience

Media player:	Video, Picture, Audio	User interface:	VIDAA Smart OS
---------------	------------------------------	-----------------	-----------------------

Internet

Screen sharing:	Yes	Content sharing:	DMP/DMR
Airplay 2 support:	Yes		

Reception and TV features

Digital and analog tuner:	DVB-T2/T/C/S2/S	Parental control:	Yes
PVR function:	Depends on location	Time shift:	Depends on location

Connectivity

Common interface (CI+):	V2.0	HDMI1 connector:	HDMI2.1/ALLM, VRR (180 HZ)
HDMI2 connector:	HDMI2.1/ALLM, VRR (180 HZ)	HDMI3 connector:	HDMI2.1/eARC, ALLM, VRR (180 HZ)
HDMI4 connector:	HDMI2.1/ALLM, VRR (180 HZ)	Number of USB (2.0) connectors:	1
Number of USB (3.0) connectors:	1	Number of S/PDIF outputs:	1
Number of RF tuners:	2	Number of subwoofers:	1
Number of Ethernet RJ45 ports:	1	WiFi technology:	IEEE 802.11 a/b/g/n/ac-2.4G, 5G
Bluetooth:	Yes	Light sensor:	Yes

Eco and power supply

Voltage:	100-240 V	Energy efficiency class HDR:	G
Energy efficiency class SDR:	C	Power consumption in standby mode:	0.5 W
Power consumption in working mode max.:	280 W		

Accessories

Stand (LxW) - mm:	427x310	VESA Wall Mount Compatible:	400x400
-------------------	----------------	-----------------------------	----------------

DMP formats

Supported video formats:	AVI, MP4, MKV, TS, FLV, WMV, MOV, WEBM	Video Codec:	HEVC/H.265, MPEG4, MPEG2, VC1, VP9, AV1, MPEG-1, AVC (H.264), WMV3, VP8
Supported audio formats:	WMA, FLAC, MP3, WAV	Supported picture formats:	JPG, GIF, PNG, BMP, JPEG

Weight and dimensions

Gross weight:	47.8 kg	Net weight:	34.5 kg
Product weight including stand:	34.5 kg	Product position at packing:	Vertical
Width of the packed product:	1865 mm	Height of the packed product:	1146 mm
Depth of the packed product:	210 mm	Width of the television with stand:	1668 mm
Height of the television with stand:	997 mm	Depth of the television with stand:	310 mm
Width of the product:	1668 mm	Height of the product:	963 mm

Depth of the product:	52 mm	Bezel width - top:	1.6 mm
Bezel width - bottom:	14 mm	Bezel width - left:	1.6 mm
Bezel width - right:	1.6 mm	Single stand:	Yes
Adjustable stand:	Yes	Cable management:	Yes
Product code:	20019629	EAN code:	6942351436678