


**TOSHIBA**



*Product*

Manufacturer Model

**50C350LP**  
50C350LP

*Image display*

Screen size (rounded to nearest integer)	cm	126
Screen size (rounded to nearest integer)	inch	50
Display technology		LCD/ LED
Backlight source		Direct LED
Resolution (Horiz x Vert)	pixel	3840X2160
Colour depth	bit	8bit+FRC
Smooth motion rate		100
Native contrast ratio		5000:1
Viewing Angle (Horiz / Vert)	Degrees	178/ 178

*Connectivity*

RF- Radio frequency input	1
AV input	1
USB interface type 2.0 (Qty / List ...)	2/USB1/USB2
Optical digital audio output (SPDIF)	1
Earphone jack	1

*HDMI ports*

HDMI inputs	3
HDMI type 4K@60Hz with HDCP version 2.2	HDMI 1, HDMI 2, HDMI3
HDMI 2.1 compliant input	No
Enhanced Audio Return Channel ( eARC)	HDMI 1
CEC- Consumer Electronics Control via HDMI	Yes

*Smart TV*

Smart TV operating system	Google TV
Ethernet port (RJ45 connector)	1
Wi-Fi protocols IEEE 802.11 {b, g, n, ac, ad, ..}	a, b, g, n, ac

*\*Specifications subject to change at any time.*

Wi-Fi bands	GHz	2.4 / 5
DLNA compliance		Yes
Bluetooth / BT version		Yes / 5.0
Anyview (Screen mirroring)		Yes
UHD (4k) streaming		Yes
Streaming Video On Demand		Yes
Freeview Plus - HbbTV 2.0		No
Web browser		Yes

### **Digital TV**

Television system (DVB-T / DVB-T2)		Yes / Yes
Video decoder (MPEG2 / MPEG 4)		Yes / Yes
AC3 Surround sound decoder		Yes
AS 4599.1 compliance		Yes
AS 4933.1 compliance		Yes
LCN- Logical channel number and DTV Service name support		Yes
Teletext / Teletext signal interruption (TAB compliant) / 16 : 9 TLTX		Yes / Yes / Yes
Subtitles		Yes
RF Signal strength indicator		Yes
RF Signal quality indicator		Yes
RF Bit error rate indicator		No
EPG- Electronic programming guide, 7 days for all services		Yes
Audio description (vision impairment aid)		Yes
Parental rating lock		Yes

### **Image processing**

Backlight control		Yes
Variable Refresh Rate (VRR)		Yes
Auto Low Latency Mode for VRR		Yes
HDR - High Dynamic Range for luminance (DMP / Netflix / HDMI)		Yes / Yes / Yes
HDR system		HDR10 / Dolby Vision
HLG (Hybrid Log-Gamma) for HDR		YES
HEVC (H.265) decoder		Yes
Motion enhancement and compensation (MEMC)		Yes
Input lag		Yes

### **Sound**

Audio power output per channel	Watt	2*10
Speaker power	Watt	2*12
Number of speakers (Tweeter / Midrange / Woofer)		0/2/0
Automatic volume level (AVL)		Yes
Audio equalizer		Yes

*\*Specifications subject to change at any time.*

	Dolby Digital	Yes
	Audio enhancement -Type {SRS, BBE, SAP, DBX TV...}	Dolby Atmos
	Lip-sync adjustment	Yes
<b>Features</b>	On/off timer	Yes
	Power off if no signal	Yes
	Sleep timer	Yes
	Program lock	Yes
	Favourite channels list	Yes
	OTA- Over the air software updates	Yes
	Voice command	Yes
	Screen mirroring	DLNA / Chromecast / Miracast / AirPlay

### **USB media player**

	Personal Video Recorder	Yes
	Time Shift	Yes
	DTV Recording (EPG scheduling / start from Standby )	Yes / Yes
	DivX decoder	No
	MPEG4 (H.264) / H.265 decoder	Yes / Yes
	DMP- Digital media player content (Music / Video / Photos / Text)	Yes / Yes / Yes / No
	DMP for UHD content via USB	Yes
	DMP File allocation table (FAT / FAT32 / exFAT / NTFS)	No/Yes/No/Yes
	PVR File allocation table (FAT / FAT32 / exFAT / NTFS)	No/Yes/No/Yes

### **Hotel lock**

	Protected Hotel lock submenu (Password / fixed code)	No/NO
	Clone function for programs, sound and image settings.	No
	Sub-menu lock, including tuning lock	No
	Keyboard lock	No
	Maximum volume lock	No
	Power on volume	No
	Power on, apply default sound/image settings	No
	Power on source selection	No
	Power on RF channel selection	No
	Power on mode (On / Standby / Last)	No/No/No
	Inputs access (Enable / Disable)	No

### **Hardware**

Processor	Quadcore
-----------	----------

*\*Specifications subject to change at any time.*

Colour (Front bezel, rear, stand)	AC ash / Black / AC ash
Speakers mounted in enclosure	Yes
Swivel base	No
Compact packaging	Yes
Supply range [Voltage / Frequency]	Volt / Hz 100 ~ 240V, 50Hz/60Hz
Standby consumption	Watt < 0.5W

### ***Installation***

Stand area (Width / Depth)	mm	891×247
Wall mount dimensions (Horiz x Vert)	mm	200×300
Wall mount, screw thread	mm	M6
VESA compliance		Yes
Detachable power cord		Yes
Power cord length	cm	155

### ***Accessories***

Remote	IR&BT /ERF3L82T&ERF3M
Battery (size / quantity)	AAA / 2
User manual (Available online) / Quick setup guide (Print)	1 / 1
Warranty [In User manual   In separate sheet]	In separate sheet

### ***Dimensions***

Dimensions with stand (W x H x D)	mm	1117×712×247
Dimensions without stand (W x H x D)	mm	1117×646×74
Carton box dimensions (W x H x D)	mm	1249×136×777
Net weight (with stand / without stand)	kg	10.2 /9.8
Gross weight	kg	14.1

*\*Specifications subject to change at any time.*