



Hisense C2 Ultra

Product Category

4K Laser Smart Mini Projector

Series

C2 Series

Model Number

C2 Ultra

Console Information

Console Colour	Gun metal grey
Resolution	4K
Gimbal stand	360° horizontal + 135° vertical
Aspect Ratio	16:9
Display Technology	DLP
Light Source	Blue+Green+Red Laser Source
Throw Ratio	0.9-1.5: 1
Audible Noise	26°C ≤28db, 29°C ≤32db, 32°C ≤36db, 35°C ≤39db
Display Surface	Flat
Light source lifetime	25,000 hours (Luminance drop 50%)
Eye Protection	YES
RoHS Compliant	Yes
Recyclable Product	Yes
Speakers / Type	builtin
Operating System	VIDAA U7.6
IMAX	Yes

Technical Details - Console

Luminance (full field, in Lumens)	3000lm
Static Contrast	2000:1
Number of Colours	1.07B
Resolution	3840*2160
4K Upscaling	Yes
10 bit Colorimetry	Yes
High Dynamic Range	Dolby Vision/HDR10+/HLG/HDR10
HDMI-ARC Support	Yes
HDMI-CEC Support	Yes
MHL Support	No
Anyview Cast (Miracast)	Yes
Network Streaming (DLNA)	Yes
Filmmaker Mode	Yes
IMAX	Yes
Wireless Digital Audio (Bluetooth)	Yes
Wide Colour Gamut	Yes 110%BT.2020
Processor	MT9618GACTAB
MEMC	Yes
Decoder	HEVC (H.265),VP9,H.264,MPEG4, MPEG2,VC1,MVC
3D Function	Yes
Refresh Rate	4K@60Hz, 2K@240Hz,2K@120Hz
Auto focus	Yes, seamless
Auto Screen Fit	Yes
Auto Keystone correction	Yes, seamless
Auto Obstacle Avoidance	Yes

Sound

Sound Output Power	2*10W+20W Powered by JBL
Subwoofer	Yes
Sound Technology	DTS Virtual:X, Dolby Audio
NICAM / A2 Stereo	No

User Equalizer	Yes
AC-4	Yes
MPEG-H	No
Convenience	
Media Player	Yes (Video, Audio, Picture)
Network Streaming	Yes
Web browser	Odin
Smart Feature	
Anyview Cast (Miracast)	Yes
Anyview Stream	Yes (DMP,DMR)
Smart Phone Companion App	VIDAA APP
Connectivity	
HDMI1	HDMI2.1(ALLM), with eARC
HDMI2	HDMI2.1
USB1	USB (3.0)
USB2	USB (3.0)
S/PDIF Output	1
Composite (AV) Input	0
Audio (L/R) Input	0
Ethernet RJ45 port	Yes
Wireless LAN adapter Support	Yes
WiFi technology	IEEE 802.11a/b/g/n/ac/ax, WIFI 6E
Bluetooth Support and profiles	Bluetooth 5.3
Eco & Power Supply	
Power Supply	100-240V~ 60/50Hz Max 2.5A
Standby Consumption	≤0.5W
Power Consumption	180W
Weight & Dimensions - Console	
Weight incl. Packaging	9.7kg
Product weight incl. Stand	6.3kg
Packaging Dimension (LxHxW)	401*397*337mm
Product Dimension (LxHxW)	247*286*247mm
Accessories	
Remote Control Model	ERF6A82
Remote Batteries	AAAx2
E-User Mannul	YES
Quick start Page	YES
Power Cable	YES
DMP Formats	
Container Format	.mp4,.mov,.mkv,.ts,.avi,.wmv,.webm
Video	MPEG1/2/4, AVC,HEVC, WMV3, VC1, VP8, VP9
Audio	MPEG1/2, LPCM, WMA, AAC, FLAC, VORBIS, OPUS (mp3, wav, wma,aac)
Picture	JPEG, PNG, BMP, GIF

*When the projection size is greater than 150 inches, manual focus and manual keystone correction are required

*The brightness of the laser light beams will be reduced sharply when objects are near to the front of the console to protect your eyes.

*Works with Amazon Alexa, Works with VIDAA Voice, Works with Apple Home

Specifications subject to change at anytime

